

BOOMER LINE™

SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

tossB®

A **Luminart** BRAND




WWW.TOSSBLIGHTING.COM
Last updated: 03/18/25

BOOMER LINE™ 120

SUSPENSION

TYPE:

PROJECT NAME:



ORDERING INFO

Model (Order Code)	Power	Finish	LED	Dimming Options
☐ L30BOOMERLINE120 Direct Downlight	☐ 24: 24W 1400lm	☐ W: White	☐ 27: 2700K	☐ 120V Phase Dimming
☐ L30BOOMERLINE120 Indirect Uplight		☐ B: Black	☐ 30: 3000K	☐ 120V 0-10V Dimming
			☐ 35: 3500K	☐ 277V 0-10V Dimming
			☐ 40: 4000K	



SPECIFICATION SHEET

tossB®

A Luminart® BRAND




WWW.TOSSBLIGHTING.COM
Last updated: 03/18/25

BOOMER LINE™ 180

SUSPENSION

TYPE:

PROJECT NAME:



ORDERING INFO

Model (Order Code)	Power	Finish	LED	Dimming Options
☐ L30BOOMERLINE180 Direct Downlight	☐ 36: 36W 1920lm	☐ W: White	☐ 27: 2700K	☐ 120V Phase Dimming
☐ L30BOOMERLINE180 Indirect Uplight		☐ B: Black	☐ 30: 3000K	☐ 120V 0-10V Dimming
			☐ 35: 3500K	☐ 277V 0-10V Dimming
			☐ 40: 4000K	



SPECIFICATION SHEET

tossB®

A Luminart® BRAND


WWW.TOSSBLIGHTING.COM
Last updated: 03/18/25

BOOMER LINE™ 240


SUSPENSION

TYPE:


PROJECT NAME:



Boomer Line 240 Direct Downlight



Boomer Line 240 Indirect Uplight



ORDERING INFO

Model (Order Code)	Power	Finish	LED	Dimming Options
☐ L30BOOMERLINE240 Direct Downlight	☐ 48: 48W 2680lm	☐ W: White	☐ 27: 2700K	☐ 120V Phase Dimming (Integral Driver)
☐ L30BOOMERLINE240 Indirect Uplight		☐ B: Black	☐ 30: 3000K	☐ 120V 0-10V Dimming (Remote Driver)
			☐ 35: 3500K	☐ 277V 0-10V Dimming (Remote Driver)
			☐ 40: 4000K	



SPECIFICATION SHEET

tossB®

A Luminart BRAND

WWW.TOSSBLIGHTING.COM
Last updated: 03/18/25